

Fig. 1




Fig. 2





Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9





Fig. 10



282

Fig. 11




Fig. 12

Fig. 13




Fig. 14





Fig. 15



The image shows a software dialog box titled "Pattern Inspector, pattern: Example". It has a menu bar with "File", "Edit", "View", "Tools", and "Windows". The dialog is divided into several sections. The "Pattern Name:" section has a blacked-out text field and an "Id: Ilet\_0" label. The "Display Name" section has a text field containing "Example" and a "Color" dropdown menu. The "Description" section has a large text area containing the text "protocol://host:port?{ilet:aModelId key0:value0 keyN:valueN}". The "Pre Task" section has an empty text area. The "Post Task" section has a text area containing the code "com.emperative.task.Core { message:apply }". At the bottom right, there are "Apply" and "Reset" buttons.

Pattern Inspector, pattern: Example

File Edit View Tools Windows

Pattern Name: [Redacted] Id: Ilet\_0

Display Name: Example Color: [Dropdown]

Description:

[Redacted] protocol://host:port?{ilet:aModelId key0:value0 keyN:valueN}

Pre Task:

Post Task: com.emperative.task.Core { message:apply }

Apply Reset

802